

TRACK CONDITIONS			
Type :	<input checked="" type="checkbox"/> Carpet	<input type="checkbox"/> Asphalt	
Place :	<input checked="" type="checkbox"/> Indoor	<input type="checkbox"/> Outdoor	
Surface :	<input checked="" type="checkbox"/> Smooth	<input type="checkbox"/> Med.	<input type="checkbox"/> Bumpy
Size:	<input type="checkbox"/> Open	<input checked="" type="checkbox"/> Med.	<input type="checkbox"/> Tight
Traction:	<input type="checkbox"/> High	<input checked="" type="checkbox"/> Med.	<input type="checkbox"/> Low
Track Temp/Air Temp:	_____ / _____		
Note:	_____		

FRONT SUSPENSION	
Track Width: _____ mm	<input checked="" type="checkbox"/> Gear Diff 500.000 with Spring wt
Toe Angle: 0,5 °	<input type="checkbox"/> Ball Diff
Caster: 6 °	<input type="checkbox"/> One Way
Camber: 1,5 °	<input type="checkbox"/> Solid Axle
Ride Height: 5,3 mm	Anti-Roll Bar: Ø 1,3 mm
Down Stop: 0,5 mm	

Shim: 1 mm, Shim: 1,5 mm, Shim: 1,5 mm, Shim: 1 mm, Shim: 0 mm, Shim: 1 mm, Shim: 1 mm, Shim: 1 mm

Diff. High Low

+0.75, 0, -0.75

REAR SUSPENSION	
Track Width: _____ mm	<input checked="" type="checkbox"/> Gear Diff 1000 wt
Toe Angle: _____ °	<input type="checkbox"/> Ball Diff
Camber: 1,5 °	<input type="checkbox"/> Solid Axle
Ride Height: 5,5 mm	
Down Stop: 2 mm	Anti-Roll Bar: Ø 1,2 mm

Shim: 4 mm, Shim: 1,5 mm, Shim: 0 mm, Shim: 1,5 mm, Shim: 1 mm, Shim: 2 mm, Shim: 1 mm

Diff. High Low

+0.75, 0, -0.75

STIFF SETTING	

ELECTRONICS
Servo: <u>bls551</u>
ESC: <u>sxx tc v2</u>
Battery: <u>Orion 6500</u>

DRIVE RATIO
Spur <u>106 T</u>
Pinion <u>39 T</u> x1.9= <u>5.16</u>

MOTOR
Brand: <u>LRP x12</u>
Turns: <u>10,5</u>
Timing: _____

TIRES
Insert: <u>lrp cpx</u>
Wheel: <u>lrp cpx</u>
Shore/deg: <u>lrp cpx</u>
Compound: <u>lrp cpx</u>
Tire Temp: _____
Tire additive: <u>lrp traction</u>
Treated Area

SHOCKS	
	Hole Size: <u>F kit</u> <u>R kit</u>
	Holes In Piston: <u>F kit</u> <u>R kit</u>
	Oil wt: <u>F 600</u> <u>R 600</u>
	Springs: <u>F 27</u> <u>R 25</u>
	Rebound: <u>F no</u> <u>R no</u>
	Bladder Note: <u>kit</u>
	Thread Length: <u>F</u> <u>R</u>

ESC
Punch: _____
Initial Brake: _____
Drag Brake: _____
<input type="checkbox"/> ESC Timing <input type="checkbox"/> Turbo Timing
<u>sxx tc v2 profil 1/0/6/1</u>

Treated Area
FL FR RL RR

BODY	
	Body: _____
	Wing Height: _____
	Wing Position: _____